



Application
Number

SEARCH

IDS Flag Clearance for Application

09989027

IDS
Information

| Content | Mailroom Date | Entry Number | IDS Review | Reviewer |
|---------|---------------|-----------------|-------------------------------------|-----------------------------|
| M844 | 11-21-2001 | 6 | <input checked="" type="checkbox"/> | 01-10-2002 21:21:06 ltyson1 |

UPDATE

Day : Friday
Date: 3/24/2006

Time: 16:34:02



Inventor Name Search Result

Your Search was:

Last Name = YAMASAKI

First Name = NOBUO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|--|-----------------|
| 09989027 | Not Issued | 71 | 11/21/2001 | Display device having SRAM built in pixel | YAMASAKI, NOBUO |
| 10033919 | 6876348 | 150 | 01/03/2002 | DISPLAY DEVICE EQUIPPED WITH SRAM IN PIXEL AND DRIVING METHOD OF THE SAME | YAMASAKI, NOBUO |
| 10341518 | Not Issued | 71 | 01/14/2003 | Planar display device for generating gradation voltage by use of resistance elements | YAMASAKI, NOBUO |

Inventor Search Completed: No Records to Display.

| | | | |
|---------------------------------|---------------------------------------|------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="Yamasaki"/> | <input type="text" value="Nobuo"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 2 | pixel with memory and and SRAM and still adj image | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:17 |
| L2 | 81 | "6876348".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:34 |
| L3 | 8 | yamasaki and Nobuo | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:42 |
| L4 | 3 | yamasaki and Nobuo and display adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:42 |
| S1 | 383208 | yamasaki and Nobuo and display adj device and SRAM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:42 |
| S2 | 6686 | (LCD or liquid adj crystal adj display) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:09 |
| S3 | 1 | (LCD or liquid adj crystal adj display) and SRAM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:09 |
| S4 | 2691 | (LCD or liquid adj crystal adj display) and SRAM and (still and iamge\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:10 |
| | | (LCD or liquid adj crystal adj display) and SRAM and (still and image\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:11 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S5 | 310 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:11 |
| S6 | 41 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:11 |
| S7 | 41 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:11 |
| S8 | 30 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:11 |
| S9 | 30 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:12 |
| S10 | 22 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:12 |
| S11 | 22 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 and voltage and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:13 |
| S12 | 0 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 adj voltage and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:13 |
| S13 | 0 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 adj voltage\$1 and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:14 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S14 | 22 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 and voltage\$1 and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:24 |
| S15 | 1 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 adj generat\$6 and voltage\$1 and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:15 |
| S16 | 1 | (LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$ and (stop\$6 adj generat\$6 and voltage\$1 and during and standby) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:15 |
| S17 | 2 | "6,636,194".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:37 |
| S18 | 2 | "6,522,319".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 11:37 |
| S19 | 2 | "5,712,652".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:14 |
| S20 | 0 | "5,712,652".pn. and voltage and stp\$6 and power and standby and still | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:15 |
| S21 | 0 | "5,712,652".pn. and voltage and stp\$6 and power and standby | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:15 |
| S22 | 0 | "5,712,652".pn. and voltage\$1 and stop\$6 and power and standby and still | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:15 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S23 | 0 | "5,712,652".pn. and voltage\$1 and stop\$6 and power and standby | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:15 |
| S24 | 2 | "5,712,652".pn. and voltage\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:15 |
| S25 | 1 | "5,712,652".pn. and voltage\$1 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:16 |
| S26 | 1 | "5,712,652".pn. and voltage\$1 and stop\$6 and power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:16 |
| S27 | 0 | "5,712,652".pn. and voltage\$1 and stop\$6 and power and standby | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:16 |
| S28 | 1 | "5,712,652".pn. and voltage\$1 and stop\$6 and power and still | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/21 14:16 |
| S29 | 1143 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power adj source | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:25 |
| S30 | 48 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:26 |
| S31 | 32 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:27 |
| S32 | 15 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:27 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S33 | 15 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:27 |
| S34 | 15 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 10:30 |
| S35 | 14 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and (power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6 and during and (still adj image\$1) and display\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:02 |
| S36 | 1 | "20060007069" and still adj image | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:26 |
| S37 | 14 | (LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and (during and (still adj image\$1) and display\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:03 |
| S38 | 46 | pixel with sram adj memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:41 |
| S39 | 1 | pixel with sram adj memory and still adj image | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:17 |
| S40 | 252 | pixel with memory and SRAM and still adj image | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:17 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S41 | 201 | pixel with memory and SRAM and still adj image and power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:18 |
| S42 | 63 | pixel with memory and SRAM and still adj image and power and refresh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:18 |
| S43 | 45 | pixel with memory and SRAM and still adj image and power and refresh and stop\$6 and power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:41 |
| S44 | 7 | pixel with memory and SRAM and still adj image and refresh and stop\$6 adj power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:43 |
| S45 | 8 | pixel with memory and still adj image and refresh and stop\$6 adj power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 11:44 |
| S46 | 31 | pixel with memory and still adj image and stop\$6 adj power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:18 |
| S47 | 0 | pixel with memory and stop\$6 adj power and second adj display\$^ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:18 |
| S48 | 11 | pixel with memory and stop\$6 adj power and second adj display\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:18 |
| S49 | 11 | pixel with memory and stop\$6 adj power and second adj display\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:20 |
| S50 | 8 | pixel with memory and (second adj display\$6 and during and stop\$6 adj power\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:21 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S51 | 0 | "20060007069" and still adj image and refresh\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:26 |
| S52 | 204 | pixel with memory and okumura | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:41 |
| S53 | 28 | pixel with memory and okumura and semiconductor and energy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:42 |
| S54 | 9 | pixel with memory and okumura and semiconductor and energy and power\$6 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S55 | 2 | "5815680".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:44 |
| S56 | 2 | "6331844".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S57 | 0 | "6331844".pn. and pixel with memory and power\$6 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S58 | 43 | pixel with memory and okumura and power\$6 and stop\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S59 | 2 | "6,522,319".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:24 |